

In the Claims:

This listing of claims will replace all prior versions and listings of claims.

1-34 (canceled)

35. (previously presented) An isolated polypeptide consisting of at least 30 contiguous amino acid residues of SEQ ID NO:2.

36. (previously presented) The isolated polypeptide of claim 35, wherein said polypeptide consists of at least 50 contiguous amino acid residues of SEQ ID NO:2.

37. (previously presented) An isolated polypeptide comprising amino acids 2 to 92 of SEQ ID NO:2.

38. (previously presented) The isolated polypeptide of claim 37, wherein said polypeptide comprises amino acids 1 to 92 of SEQ ID NO:2.

39. (previously presented) The isolated polypeptide of claim 35 fused to a heterologous polypeptide.

40. (previously presented) An isolated polypeptide consisting of at least 30 contiguous amino acid residues of the polypeptide encoded by the human cDNA contained in ATCC Deposit No. 97304.

41. (previously presented) The isolated polypeptide of claim 40, wherein said polypeptide consists of at least 50 contiguous amino acid residues of the polypeptide encoded by the human cDNA contained in ATCC Deposit No. 97304.

42. (previously presented) An isolated polypeptide comprising the mature polypeptide encoded by the human cDNA contained in ATCC Deposit No. 97304.

43. (previously presented) An isolated polypeptide comprising the full length polypeptide encoded by the human cDNA contained in ATCC Deposit No. 97304.

44. (previously presented) The isolated polypeptide of claim 40 fused to a heterologous polypeptide.

45. (previously presented) An isolated protein produced by the method comprising:

(a) culturing a host cell under conditions suitable to produce the protein molecule of claim 35, and

(b) recovering said protein molecule.

46. (previously presented) An isolated protein produced by the method comprising:

(a) culturing a host cell under conditions suitable to produce the protein molecule of claim 36; and

(b) recovering said protein molecule.

47. (previously presented) An isolated protein produced by the method comprising:

(a) culturing a host cell under conditions suitable to produce the protein molecule of claim 37; and

(b) recovering said protein molecule.

48. (previously presented) An isolated protein produced by the method comprising:

(a) culturing a host cell under conditions suitable to produce the protein molecule of claim 38; and

(b) recovering said protein molecule.

49. (previously presented) An isolated protein produced by the method comprising:

(a) culturing a host cell under conditions suitable to produce the protein molecule of claim 39, and

(b) recovering said protein molecule.

50. (previously presented) An isolated protein produced by the method comprising:

(a) culturing a host cell under conditions suitable to produce the protein molecule of claim 40; and

(b) recovering said protein molecule.

51. (previously presented) An isolated protein produced by the method comprising:

(a) culturing a host cell under conditions suitable to produce the protein molecule of claim 41; and

(b) recovering said protein molecule.

52. (previously presented) An isolated protein produced by the method comprising:

(a) culturing a host cell under conditions suitable to produce the protein molecule of claim 42; and

(b) recovering said protein molecule.

53. (previously presented) An isolated protein produced by the method comprising:

(a) culturing a host cell under conditions suitable to produce the protein molecule of claim 43, and

(b) recovering said protein molecule.

54. (previously presented) An isolated protein produced by the method comprising:

(a) culturing a host cell under conditions suitable to produce the protein molecule of claim 44, and

(b) recovering said protein molecule.

55-59 (canceled)

60. (currently amended) An isolated first polypeptide 90% or more identical to a second polypeptide selected from the group consisting of:

(a) amino acid residues 2 to 92 of SEQ ID NO:2;

(b) amino acid residues 1 to 92 of SEQ ID NO:2;

(c) the amino acid sequence of the mature polypeptide encoded by the cDNA in ATCC Deposit No. 97304; and

(d) the amino acid sequence of the full length polypeptide encoded by the cDNA in ATCC Deposit No. 97304;

wherein said first polypeptide is chemotactic for leukocytes.

61. (previously presented) The isolated first polypeptide of claim 60 wherein the second polypeptide is (a).

62. (previously presented) The isolated first polypeptide of claim 60 wherein the second polypeptide is (b).

63. (previously presented) The isolated first polypeptide of claim 60 wherein the second polypeptide is (c).

64. (previously presented) The isolated first polypeptide of claim 60 wherein the second polypeptide is (d).

65. (previously presented) The isolated first polypeptide of claim 60 wherein said first polypeptide is 95% or more identical to (a).

66. (previously presented) The isolated first polypeptide of claim 60 wherein said first polypeptide is 95% or more identical to (b).

67. (previously presented) The isolated first polypeptide of claim 60 wherein said first polypeptide is 95% or more identical to (c).

68. (previously presented) The isolated first polypeptide of claim 60 wherein said first polypeptide is 95% or more identical to (d).

69. (previously presented) The isolated first polypeptide of claim 60 fused to a heterologous polypeptide.

70. (previously presented) An isolated protein produced by the method comprising:

- (a) culturing a host cell under conditions suitable to produce the protein molecule of claim 60; and
- (b) recovering said protein molecule.